

Purse Seiner "Maria" washing net, shows power block, nylon sardine net. Photograph by Anita Daugherty.

## **PUBLICATIONS**

1 July 1960 - 30 June 1962

Ahlstrom, E. H., 1961. Distribution and relative abundance of rockfish (Sebastodes spp.) larvae off California and Baja California. Rapp et Proc.-Verb. Cons. Internat. Explor. de la Mar. 150.

Alvarino, A., 1961. Two new Chaetognaths from the Pacific. Pacific Science, 15(1): 67-77.

Alvarino, A., 1962. Taxonomic revision of Sagitta robusta and Sagitta ferox Domeaster, and notes on their distribution in the Pacific Pacific Science, 16(2):186-201.

Arthur, R. S., 1960. Variation in Sea Temperature off La Jolla. Jour. of Geophy. Research, 65 (12):4081-4086.

Balech, E., 1960. The changes in the phytoplankton population off the California Coast. Calif. Coop. Oc. Fish. Inv. Reports. 7:127-132.

Berner, L. D., 1960. Unusual features in the distribution of pelagic tunicates in 1957 and 1958. Calif. Coop. Oc. Fish. Inv. Reports, 7:133-136.

Berry, F. H., 1960. Scale and scute development of the carangid fish *Caranx crysos* (Mitchill). Quart. Journ. Fla. Acad. Sci. 23(1):59-66.

Brinton, E., 1960. Changes in the distribution of the euphousiid crustaceans in the region of the California Current. Calif. Coop. Oc. Fish. Inv. Reports, 7:137-146.

California Department of Fish and Game, 1961. California ocean fisheries resources to the year 1960. Calif. Dept. of Fish and Game, Sacto., 79 p.

Twenty-seven of the department's marine biologists report on the status of some 60 of the State's most important fish, mollusk, crustacean, and plant resources. All available life history, research and management information has been gathered for each of these resources.

Clark, W. D., 1961. Proposal of a new name, Lepidomysis, for the preoccupied mysidacean generic name Lepidops Zimmer, 1927. Crustaceana, 2(3):251-252.

Clark, W. D., 1961. A giant specimen of Gnathophausia ingens (Dohrn, 1870) (mysidacea). Crustaceana, 2(4):313-324.

Counts, R. C., 1961. A device for measuring larval and juvenile fishes. Copeia, 1961 (2):224-226.

Farris, D. A., 1961. Abundance and distribution of eggs and larvae and survival of larvae of jack mackerel (Trachurus symmetricus). Fish and Wildlife Service Fishery Bulletin 187, 61:247-279.

- Farris, D. A., 1960. The effect of three different types of growth curves on estimates of larval fish survival. *Jour.* du Conseil, 25(3):294-306.
  - Estimates of larval fish survival on exponential, logarithmic and arithmetic types of growth.
- Fofonoff, N. P., 1960. Description of the Northeastern Pacific Oceanography. Calif. Coop. Oc. Fish. Inv. Reports, 7:91-96.
- Gates, D. E., 1961. Floating marine laboratory gets new glasses. *Outdoor California*, 22(5). Sacto., Dept. Fish and Game.
- A description and the use of the underwater viewing chamber installed in the research vessel, ALASKA.
- Gilmore, R. M., 1960. A census of the California gray whale. U.S. Fish and Wildlife Service, Spec. Sci. Report: Fisheries No. 342, 1-30.
- Hubbs, C. L., 1960. The marine vertebrates of the outer coast. In symposium: The biogeography of Baja California and adjacent seas—Part II. Marine Biotas. Systematic Zoology, 9(3) and (4): 134-147.
- Hubbs, C. L., 1960. Quaternary paleoclimatology of the Pacific Coast of North America. Calif. Coop. Oc. Fish. Inv. Reports, 7:97-102.
- Isaacs, J. D., and G. B. Schick, 1960. Deep-sea free instrument vehicle. Deep Sea Research, 7:61-67.
- Isaacs, J. D. and J. E. Tyler, 1960. On the observation of unresolved surface features of a planet. Astronomical Soc. of the Pacific, Publications, 72(426):159-166.
- Jennings, F. D. and R. A. Schwartzlose. 1960. Measurements of the California Current in March 1958. Deep Sea Research, 7:42-47.
- Johnson, M. W., 1960. Calanoida. McGraw-Hill Encyclopedia of Science and Technology, 2:392-393.
- Johnson, M. W., 1960. Copepoda. McGraw-Hill Encyclopedia of Science and Technology, 3:462-463.
- Johnson, M. W., 1960. The offshore drift of larvae of the California spiney lobster (Panulirus interruptus). Calf. Coop. Oc. Fish. Inv. Reports, 7:147-162.
- Kramer, D., 1961. Development of the eggs and larvae of the Pacific mackerel (*Pneumatophorus diego*) and distribution and abundance of larvae 1952-56. *U.S. Fish and Wildlife Service*, Fish. Bull. 174, 60:393-438.
  - A study of the gross development of the eggs and larvae (including morphometry and ossification) are described. Distribution of larvae is discussed for 1952-56 with census estimates by area and month in patterns covered on CalCOFI surveys.
- Lance, J. R., 1962. Two new opisthobranch mollusks from Southern California. The Veliger, 4(3):155-159.
- Lance, J. R., 1962. A new Stiliger and a new Corambella (Molluses: Opisthobranchia) from the Northwestern Pacific. The Veliger, 5(1):33-38.
- Lance, J. R., 1962. A new species of Armina (Gastropods: Nudibranchia) from the Gulf of California. The Veliger, 5(1):51-54.
- Lasker, R., and G. H. Theilacker, 1962. Oxygen consumption and osmoregulation by single Pacific sardine eggs and larvae (Sardinops caerulea Girard). Journal du Conseil, XXVII, (1), 1962: 25-33.
- Lasker, R., and G. H. Theilacker, 1962. The fatty acid composition of the lipids of some Pacific sardine tissues in relation to ovarian maturation and diet. *Journal of Lipid Research*, 3(1):60-64.
- Morgan, A. R., and D. E. Gates, 1961. A cooperative study of shrimp and incidental fish catches taken in shrimp fishing gear in California and Oregon, 1958. Pac. Mar. Fish. Comm. Bull. 5:85-106. Differences are demonstrated in catches of shrimp and incidental fish made with three gear types used. This includes: (1) variations in ratios of numbers and weights of fish to pounds of shrimp by gear type; (2) numbers of fish and pounds of shrimp by gear type; (3)

- possible differences in size of fish and shrimp by gear type; and (4) effectiveness of particular trawls in the catch of certain species.
- O'Connell, C. P., 1960. Use of a Fish School for Conditioned Response Experiments. Animal Behavior, 8 (181):225-227. Experiments to determine whether a sardine school could be conditioned as a unit and whether conditional response would be adversely affected by replacement of mortalities with untrained individuals.
- Radovich, J., 1959. Some causes of fluctuations in catches of the Pacific sardine (Sardinops caerulea, Girard). Volume III, Proceedings of the World Scientific Meeting on the Biology of Sardines and Related Species, FAO, Rome, Italy, September, 1959:1081-1093.
- Radovich, J., 1960. Redistribution of fishes in the eastern North Pacific Ocean in 1957 and 1958. Calif. Coop. Oc. Fish. Inv. Reports, 7:163-171.
- Radovich, J., 1961. Pelagic fish sea surveys (methodology).

  Proceedings of The First National Coastal and Shallow
  Water Research Conference, 610-614.
- Radovich, J., 1961. Relationships of some marine organisms of the Northeast Pacific to water temperatures particularly during 1957 through 1959. Calif. Dept. Fish and Game, Fish Bull. 112, 62 p. Concurrent with the warming of the ocean off the Pacific Coast of North America beginning in 1957 and extending through 1959, many southern marine species wandered north of their usual range. An analysis of past records showed similar intrusions during previous warm-water years. The northward distribution of some invertebrates seemed more closely related to the development of the countercurrent than to the increase in temperature.
- Radovich, J., 1962. Effects of sardine spawning stock size and environment on year-class production. Calif. Fish and Game, 48(2):123-140.
- Reid, J. L., Jr., 1960. Oceanography of the Eastern North Pacific in the last 10 years. CalCOFI Reports, 7:77-90.
- Reid, J. L., Jr., 1960. Pacific Ocean. McGraw-Hill Encyclopedia of Science and Technology, 9:483-488.
- Reid, J. L., Jr., 1961. On the geostrophic flow at the surface of the Pacific Ocean with respect to the 1000-decibar surface. *Tellus*, 13(4):489-502.
- Reid, J. L., Jr., and R. A. Schwartzlose, 1962. Direct measurements of the Davidson Current off Central California. Jour. of Geophysical Research, 67(6):2491-2497.
- Robinson, M. K., 1961. The use of a common reference period for evaluating climatic coherence in temperature and salinity records from Alaska to California. Calif. Coop. Oc. Fish. Inv. *Reports*, 8:121-130.
- Roden, G. I., 1960. On the nonseasonal variations in sea level along the West Coast of North America. *Jour. of Geophy. Research*, 65(9):2809-2826.
- Roden, G. I., 1961. On the wind-driven circulation in the Gulf of Tehuantepec and its effect upon surface temperatures. Geofisica Internacional, 1(3):55-72.
- Roden, G. I., 1962. On sea-surface temperature, cloudiness and wind variations in the tropical Atlantic. *Journal of the Atmospheric Sciences*, 19(1):66-80.
- Roden, G. I., and J. L. Reid, Jr., 1961. Sea surface temperature, radiation, and wind anomalies in the North Pacific Ocean. Records of Oceanographic Works in Japan, 6(1): 36-52.
- Schick, G. B., and J. D. Isaacs, 1961. Remote underwater programming. *Undersea Technology*, 2(6):29-32.
- Sprague, L., and A. M. Vrooman, 1962. A racial analysis of the Pacific sardine (Sardinops caerulea) based on studies of erythrocyte antigens. Annals of The New York Academy of Sciences, 97, Art. 1:131-138.
- Sweeney, B. M., 1960. The Photosynthetic rhythm in single cells of Gonyaulax polyedra. Cold Spring Harbor Symposia on Quantitative Biology, 25:145-148.

- Sweeney, B. M., and J. Woodland, 1960. The effect of temperature on the diurnal rhythms. Cold Spring Harbor Symposia on Quantitative Biology, 25:87-204.
- Sweeney, B. M., and F. T. Haxo, 1961. Persistence of a diurnal rhythm in photosynthesis in enucleated Acetabularia. Phycological News Bull., 14(2):11.
- Taft, B. A., 1960. A statistical study of the estimation of abundance of Sardine eggs. Limnology and Oceanography, 5(3):245-264. The reliability of the estimation of abundance of sardine eggs is examined from two points of view: (1) analysis of egg observations collected on spawning surveys off southern California in 1941; and (2) analysis of time and spatial variations on observations made on a 400-square-mile grid off Baja California in 1952.
- Taylor, C. C., 1960. Temperature, growth and mortality—the Pacific cockle, Journ. du Conseil, XXVI, (1):117-124.
- Thrailkill, J. R., 1961. Zooplankton volumes off the Pacific Coast, 1958. U.S. Fish and Wildlife Service, Spec. Sci. Report—Fisheries No. 374, 70 pp.

- Wolf, R. S., and A. E. Daugherty, 1961. Age and length composition of the sardine catch off the Pacfic coast of the United States and Mexico in 1958-59. Calif. Fish and Game, 47, (3):273-285.
- Wolf, R. S., 1961. Graphic presentation of Pacific sardine age composition data. U.S. Fish and Wildlife Service, Special Scientific Report—Fisheries No. 384:1-34.
- Wolf, R. S., 1961. Age composition of the Pacfic sardine 1932-1960. U.S. Fish and Wildlife Service Research Report No. 53:1-36.
- Wooster, W. S., and B. A. Taft, 1958. On the reliability of field measurements of temperature and salinity in the ocean. Jour. of Marine Research, 17:552-566.
- Wisner, R. L., 1961. Evidence of a northward movement of stocks of the Pacific sardine based on the number of vertebrae. Calif. Coop. Oc. Fish. Inv. Reports, 8:75-82.
- Wyllie, J. G., 1961. The water masses of Sebastián Vizcaíno Bay. Calif. Coop. Oc. Fish Inv. Reports, 8:83-84.