

PUBLICATIONS  
January 1 through December 31, 1992

- Azam, F., D. C. Smith, and A. F. Carlucci. Bacterial transformation and transport of organic matter in the Southern California Bight. *Prog. Oceanogr.* 30 N1-4:117-150.
- Barnes, J. T. The return of the California sardine. *In* 12a Semana Das Pescas Dos Açores, Relatorio 1992.
- Barnes, J. T., L. D. Jacobson, A. D. MacCall, and P. Wolf. Recent population trends and abundance estimates for the Pacific sardine (*Sardinops sagax*). *Calif. Coop. Oceanic Fish. Invest. Rep.* 33:60-75.
- Baumgartner, T. M., A. Soutar, and V. Ferreira-Bartrina. Reconstruction of the history of Pacific sardine and northern anchovy populations over the past two millennia from sediments of the Santa Barbara Basin, California. *Calif. Coop. Oceanic Fish. Invest. Rep.* 33:24-40.
- Carlucci, A. F., D. B. Craven, and D. M. Wolgast. Microbial populations in surface films: amino acid dynamics in nearshore and offshore waters off southern California. *J. Geophys. Res.* 97:5271-5280.
- Checkley, D. M., Jr., M. J. Dagg, and S. Uye. Feeding, excretion and egg production by individuals and populations of the marine, planktonic copepods, *Acartia* spp. and *Centropages furcatus*. *J. Plankton Res.* 14:71-96.
- Checkley, D. M., Jr., S. Uye, M. J. Dagg, M. M. Mullin, M. Omori, T. Onbe, and M.-y. Zhu. Diel variation of the zooplankton and its environment at neritic stations in the Inland Sea of Japan and the north-west Gulf of Mexico. *J. Plankton Res.* 14:1-40.
- Conrad, J. M. A bioeconomic model of the Pacific whiting. *Bull. Math. Biol.* 54(2/3):219-239.
- Davis, C. S., S. M. Gallager, M. S. Berman, L. R. Haury, and J. R. Strickler. The video plankton recorder (VPR): design and initial results. *Arch. Hydrobiol. Beih. Ergeb. Limnol.* 36:67-81.
- Davis, G. E., D. V. Richards, P. L. Haaker, and D. O. Parker. Abalone population declines and fishery management in southern California. *In* Abalone of the world: biology, fisheries, and culture, S. A. Shepherd, M. J. Tegner, and S. A. Guzman del Proo, eds. Oxford, England: Fishing News Books, pp. 237-249.
- Dayton, P. K., M. J. Tegner, P. E. Parnell, and P. B. Edwards. Temporal and spatial patterns of disturbance and recovery in a kelp forest community. *Ecol. Monogr.* 62:421-445.
- Dickerson, T., and R. Leos. Market squid. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 36-37.
- Eber, L. E. CalCOFI oceanographic data retrieval program RUNC-COFI. *SWFSC Adm. Rep.*, La Jolla, LJ-92-27, 13 pp.
- . NOAA/NOS bathymetric digitization program RUNBATHY. *SWFSC Adm. Rep.*, La Jolla, LJ-92-26, 12 pp.
- Gooday, A. J., L. A. Levin, P. Linke, and T. Heeger. The role of benthic foraminifera in deep-sea food webs and carbon cycling. *In* Deep-sea food chains and the global carbon cycle, G. T. Rowe and V. Pariente, eds. Kluwer Academic Publishers, the Netherlands, pp. 63-91.
- Gooday, A. J., L. A. Levin, C. L. Thomas, and B. Hecker. The taxonomy, distribution and ecology of *Bathysiphon filiformis* Sars and *B. major de Folin* (Protista, Foraminifera) on the continental slope off North Carolina. *J. Foraminiferal Res.* 22:129-146.
- Guzman del Proo, S. A., M. J. Tegner, and S. A. Shepherd, eds. Abalone of the world: biology, fisheries and culture, supplementary papers. *Fisheries Research Papers*, Department of Fisheries (South Australia), No. 24, 68 pp.
- Haaker, P. L., D. V. Richards, C. S. Friedman, G. E. Davis, D. O. Parker, and H. A. Togstad. Mass mortality and withering syndrome in black abalone, *Haliotis cracherodii*, in California. *In* Abalone of the world: biology, fisheries, and culture, S. A. Shepherd, M. J. Tegner, and S. A. Guzman del Proo, eds. Oxford, England: Fishing News Books, pp. 214-224.
- Hanan, D., and J. Sisson. Marine mammal resources: pinnipeds. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 208-211.
- Hanan, D. A., D. B. Holts, and A. L. Coan. The California drift gill net fishery, 1981-82 through 1990-91. *Proc. 43rd Ann. Tuna Conf., Fisheries and Ecological Interactions*, A. L. Coan and A. R. Jackson, eds. U.S. DOC/NOAA/NMFS SWFSC, p. 11.
- Hanan, D. A., L. M. Jones, and M. J. Beeson. Harbor seal, *Phoca vitulina richardsi*, census in California, May-June 1991. *SWFSC Adm. Rep.* LJ-92-03, 68 pp.
- Hansen, J. A., D. W. Klumpp, D. M. Alongi, P. K. Dayton, and M. J. Riddle. Detrital pathways in a coral reef lagoon. II. Detritus deposition, benthic microbial biomass and production. *Mar. Biol.* 113: 363-372.
- Hardy, R. A. Marine mammals discussion. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 219-220.
- Haugen, C. W. Starry flounder. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 103-104.
- Haury, L. R., H. Yamazaki, and C. L. Fey. Simultaneous measurements of small-scale physical dynamics and zooplankton distributions. *J. Plankton Res.* 14:513-530.
- Herrick, S., Jr., J. G. Lee, and D. Squires. Documentation for the West Coast fishing fleet cost-earnings data base. *SWFSC Adm. Rep.*, La Jolla, LJ-92-23, 14 pp.
- Houk, J. L. Blue rockfish. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 118-120.
- . Black rockfish. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 117-118.
- Houk, J. L., J. E. Hardwick, and D. VenTresca. Use of the anesthetic metomidate hydrochloride as an aid in the open-water capture of young-of-the-year rockfish. *Calif. Dep. Fish Game, Mar. Res. Adm. Rep.* 92-1, 20 pp.
- Hunter, J. R., B. J. Macewicz, N. C. H. Lo, and C. A. Kimbrell. Fecundity, spawning, and maturity of female Dover sole, *Microstomus pacificus*, with an evaluation of assumptions and precision. *Fish. Bull.*, U.S., 90:101-128.
- Imawaki, S., P. P. Niiler, J. D. Illeman, W. G. Large, and T. K. Chereskin. Trajectories of longline drifters in the Eastern Tropical Pacific in 1983-1986. *Scripps Institution of Oceanography*, Univ. Calif., San Diego, SIO Ref. 92-5.
- Jacobson, L. D., and J. R. Hunter. Bathymetric demography and management of Dover sole (with data tables). *SWFSC Adm. Rep.*, La Jolla, LJ-92-29, 57 pp.
- Jacobson, L. D., and N. C. H. Lo. Spawning biomass of the northern anchovy in 1992. *SWFSC Adm. Rep.*, La Jolla, LJ-92-24, 70 pp.
- Jacobson, L. D., and C. J. Thomson. Opportunity costs and the decision to fish for northern anchovy. *SWFSC Adm. Rep.*, La Jolla, LJ-92-02, 33 pp.
- Klingbeil, R. A. Pelagic wetfish: discussion. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, p. 94.
- Konno, E. S., and P. Wolf. Pacific mackerel. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 91-93.
- Kramer, S. H. Distribution and abundance of juvenile California halibut, *Paralichthys californicus*, in shallow waters of San Diego County. *In* The California halibut, *Paralichthys californicus*, resource and fisheries, C. W. Haugen, ed. Calif. Dep. Fish Game, Fish Bull. 174: 99-126.
- Lea, R. N. Rockfishes: overview. *In* California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Davis, Sea Grant Extension Pub. UCSGEP-92-12, pp. 114-117.
- Lee, J. G. Regulation of open access fisheries: an examination of the

- West Coast groundfish fishery. SWFSC Adm. Rep., La Jolla, LJ-92-22, 24 pp.
- Leet, W. S., C. M. Dewees, and C. W. Haugen, eds. California's living marine resources and their utilization. Sea Grant Extension Pub. UCSGEP-92-12, 257 pp.
- Leos, R. Other flatfishes. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 105-106.
- . Sanddabs. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 104-105.
- Levin, L. A., and A. J. Gooday. Possible roles for xenophyophores in deep-sea carbon cycling. In Deep-sea food chains and the global carbon cycle, G. T. Rowe and V. Pariente, eds. Kluwer Academic Publishers, the Netherlands, pp. 93-104.
- Lo, N. C. H., J. R. Hunter, H. G. Moser, P. E. Smith, and R. D. Methot. The daily fecundity reduction method: a new procedure for estimating adult fish biomass. ICES J. Mar. Sci. 49:209-215.
- Lo, N. C. H., L. D. Jacobson, and J. L. Squires. Indices of relative abundance from fish spotter data based on delta-lognormal models. Can. J. Fish Aquat. Sci. 49(12):2515-2526.
- Lynn, R. J., and K. A. Bliss. Physical oceanography off Oregon, December, 1988. SWFSC Adm. Rep., La Jolla, LJ-92-15, 23 pp.
- Moore, T. O. Gaper clams. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 31-32.
- . Washington clams. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 32-33.
- Moser, H. G., and W. Watson. Distribution and abundance of early life history stages of the California halibut, *Paralichthys californicus*, and comparison with the fantail sole, *Xystreurus liolepis*. In The California halibut, *Paralichthys californicus*, resource and fisheries, C. W. Haugen ed. Calif. Dep. Fish Game, Fish Bull. 174:31-84.
- Mullin, M. M., and T. Onbe. Diel reproduction and vertical distributions of the marine cladocerans, *Eudae tergestina* and *Penilia avirostris*, in contrasting coastal environments. J. Plankton Res. 14:41-59.
- Owen, S. Pismo clams rebound after decade of decline. Outdoor Calif. 53(4):1-4.
- Owen, S. L., and L. D. Jacobson. Thornyheads. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 132-133.
- Parker, D. O., P. L. Haaker, and H. A. Togstad. Case histories for three species of abalone, *Haliotis corrugata*, *H. fulgens* and *H. cracherodii*. In Abalone of the world: biology, fisheries, and culture, S. A. Shepherd, M. J. Tegner, and S. A. Guzman del Proo, eds. Oxford, England: Fishing News Books, pp. 384-394.
- Patterson, C. A. Pismo clam. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 27-29.
- Pearson, D. E., and S. L. Owen. English sole. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 99-100.
- Perkins, P., J. Barlow, and M. J. Beeson. Report on pinniped and cetacean mortality in California gill net fisheries: 1988-1990. SWFSC Adm. Rep. LJ-92-14, 32 pp.
- Reilly, P. N. Bay shrimp. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 12-14.
- . Little neck clams. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 26-27.
- . Mollusk resources: discussion. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 39-40.
- Roemmich, D. Ocean warming and sea level rise along the southwest U.S. coast. Science 257:373-375.
- Roemmich, D., and B. Cornuelle. The Subtropical Mode Waters of the South Pacific Ocean. J. Phys. Oceanogr. 22:1178-1187.
- Schimmelmann, A., and M. J. Tegner. Historical evidence of abrupt coastal climatic change in southern California, 1790-1880. Proceedings of the Eighth Annual Pacific Climate (PACLIM) workshop: Calif. Dep. Water Resources, Interagency Ecology Study Program, Tech. Rep. 331:47-56.
- Shepherd, S. A., M. J. Tegner, and S. A. Guzman del Proo, editors. Abalone of the world: biology, fisheries and culture. Oxford, England: Fishing News Books, 608 pp.
- Simpson, J. J. Image masking using polygon fills and morphological transformations. Rem. Sens. Environ. 40:161-183.
- . Remote sensing and geographical information systems: their past, present and future use in global marine fisheries. Fish. Oceanogr. 1:238-280.
- . Variability of the southern California current system during mid-latitude North Pacific coastal warming events of 1982-83 and 1940-41. Fish. Oceanogr. 1:57-79.
- Smith, P. E., N. C. H. Lo, and J. L. Butler. Life-stage duration and survival parameters as related to interdecadal population variability in Pacific sardine. Calif. Coop. Oceanic Fish. Invest. Rep. 33:41-49.
- Spratt, J. D. Pacific herring. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 86-89.
- . The evolution of California's herring roe fishery: catch allocation, limited entry, and conflict resolution. Calif. Dep. Fish Game 78:20-44.
- Spratt, J. D., and T. O. Moore. Biological characteristics of the catch from the 1991-92 Pacific herring, *Clupea pallasi*, roe fishery in San Francisco Bay and Tomales Bay. Calif. Dep. Fish Game, Mar. Res. Adm. Rep. 92-4, 22 pp.
- Spratt, J. D., T. O. Moore, and P. Collier. Biomass estimates of Pacific herring, *Clupea pallasi*, in California from the 1991-92 spawning-ground surveys. Calif. Dep. Fish Game, Mar. Res. Adm. Rep. 92-2, 43 pp.
- Squires, D. Productivity measurement in common property resource industries: an application to the Pacific Coast trawl fishery. Rand J. Econ. 23(2):221-236.
- Steinbeck, J. R., J. M. Groff, C. S. Friedman, T. McDowell, and R. P. Hedrick. Investigations into a mortality among populations of the California black abalone, *Haliotis cracherodii*, on the central coast of California. In Abalone of the world: biology, fisheries, and culture, S. A. Shepherd, M. J. Tegner, and S. A. Guzman del Proo, eds. Oxford, England: Fishing News Books, pp. 203-213.
- Tegner, M. J. Brood stock transplants as an approach to abalone stock enhancement. In Abalone of the world: biology, fisheries and culture, S. A. Shepherd, M. J. Tegner, and S. A. Guzman del Proo, eds. Oxford, England: Fishing News Books, pp. 461-473.
- Tegner, M. J., J. D. DeMartini, and K. A. Karpov. The red abalone fishery: a case study in complexity. In Abalone of the world: biology, fisheries, and culture, S. A. Shepherd, M. J. Tegner, and S. A. Guzman del Proo, eds. Oxford, England: Fishing News Books, pp. 370-383.
- Thomas, D. H. Petrale sole. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 100-101.
- Thomas, D. H., and J. R. Bence. Bocaccio. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 120-121.
- Thomson, C. J. Economic utilization of ocean resources, In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12.
- Thomson, C. J., G. Walls, and J. Morgan. Status of the California coastal pelagic fisheries in 1991. SWFSC Adm. Rep., La Jolla, LJ-92-25, 47 pp.
- VanBlaricom, G. R., and R. A. Hardy. Sea otter. In California's living marine resources and their utilization, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 216-219.
- Venrick, E. L. Oceanic chlorophyll. Review chapter in encyclopedia of earth system science. Academic Press, Inc. 3:403-413.

- \_\_\_\_\_. Phytoplankton species structure in the Central North Pacific: Is the edge like the center? *J. Plankton Res.* 14(5):665–680.
- VenTresca, D.A. Vermilion rockfish. In *California's living marine resources and their utilization*, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 123–124.
- Watson, W. Distribution of larval Pacific sardine, *Sardinops sagax*, in shallow coastal waters between Oceanside and San Onofre, California: 1978–1986. *Calif. Coop. Oceanic Fish. Invest. Rep.* 33:89–99.
- Watson, W., and H. J. Walker, Jr. Larval development of Sargo (*Anisotremus davidsonii*) and Salema (*Xenistius californiensis*) (Pisces: *Haemulidae*) from the Southern California Bight. *Bull. Mar. Sci.* 51(3): 360–406.
- Wild, P. W. White croaker. In *California's living marine resources and their utilization*, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 170–171.
- Wilson-Vandenberg, D. A. Cabezon. In *California's living marine resources and their utilization*, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 160–161.
- Wolf, P. Recovery of the Pacific sardine and the California sardine fishery. *Calif. Coop. Oceanic Fish. Invest. Rep.* 33:76–86.
- Wolf, P., and P. E. Smith. Pacific sardine. In *California's living marine resources and their utilization*, W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. Sea Grant Extension Pub. UCSGEP-92-12, pp. 83–86.