

Part IV

## INDEX TO CALCOFI REPORTS 1994–1999

This index contains two parts: author and subject. The index was developed by R. A. Schwartzlose from the publications listed on the right. The year following the volume number is the publication date. Three previous indexes have been published: in volume 24 for the years 1950–1982, in volume 30 for 1983–1988, and in volume 35 for 1989–1993.

### AUTHOR INDEX

- Ainley, D. G., R. L. Veit, S. G. Allen, L. B. Spear, and P. Pyle. Variations in Marine Bird Communities of the California Current, 1986–1994. 36:72–77
- Allen, L. G., T. E. Hovey, M. S. Love, and J. T. W. Smith. The Life History of the Spotted Sand Bass (*Paralabrax maculatofasciatus*) within the Southern California Bight. 36:193–203
- Arenas, P. R., J. R. Hunter, and L. D. Jacobson. The 1994 Mexico–U.S. Spawning Biomass Survey for Pacific Sardine (*Sardinops sagax*) and the 1995 CalCOFI Sardine Symposium. 37:129–133
- Augustyn, C. J., and B. A. Roel. Fisheries Biology, Stock Assessment, and Management of the Chokka Squid (*Loligo vulgaris reynaudii*) in South African Waters: An Overview. 39:71–80
- Baduini, C. L. Spatial and Temporal Patterns of Zooplankton Biomass in Monterey Bay, California, during the 1991–1993 El Niño, and an Assessment of the Sampling Design. 38:193–198
- Bailey, K. M., S. A. Macklin, R. K. Reed, R. D. Brodeur, W. J. Ingraham, J. F. Piatt, M. Shima, R. C. Francis, P. J. Anderson, T. C. Royer, A. B. Hollowed, D. A. Somerton, and W. S. Wooster. ENSO Events in the Northern Gulf of Alaska, and Effects on Selected Marine Fisheries. 36:78–96
- Baird, B. E., M. A. Miller-Henson, and B. X. Semmens. Analyzing California's Marine Managed Areas: Existing Classifications and Options for the Future. 40:67–70
- Bentley, P. J., R. L. Emmett, N. C. H. Lo, and H. G. Moser. Egg Production of Pacific Sardine (*Sardinops sagax*) off Oregon in 1994. 37:193–200
- Botsford, L. W., L. E. Morgan, D. R. Lockwood, and J. E. Wilen. Marine Reserves and Management of the Northern California Red Sea Urchin Fishery. 40:87–93
- Brodeur, R. D., B. W. Frost, S. R. Hare, R. C. Francis, and W. J. Ingraham Jr. Interannual Variations in Zooplankton Biomass in the Gulf of Alaska, and Covariation with California Current Zooplankton Biomass. 37:80–99
- Brodziak, J. Revised Biology and Management of Long-Finned Squid (*Loligo pealei*) in the Northwest Atlantic. 39:61–70
- Buckley, T. W., and P. A. Livingston. Geographic Variation in the Diet of Pacific Hake, with a Note on Cannibalism. 38:53–62
- Bucklin, A., and T. C. LaJeunesse. Molecular Genetic Variation of *Calanus pacificus* (Copepoda: Calanoida): Preliminary Evaluation of Genetic Structure and Subspecific Differentiation Based on mtDNA Sequences. 35:45–51
- Burton, R. S. Inferring the Genetic Structure of Marine Populations: A Case Study Comparing Allozyme and DNA Sequence Data. 35:52–60
- Butler, J., D. Fuller, and M. Yaremko. Age and Growth of Market Squid (*Loligo opalescens*) off California during 1998. 40:191–195
- California Cooperative Oceanic Fisheries Investigations Reports:  
Volume 35, 1994  
Volume 36, 1995  
Volume 37, 1996  
Volume 38, 1997  
Volume 39, 1998  
Volume 40, 1999
- Butler, J. L., M. L. Granados-G., J. T. Barnes, M. Yaremko, and B. J. Macewicz. Age Composition, Growth, and Maturation of the Pacific Sardine (*Sardinops sagax*) during 1994. 37:152–159
- Butler, J. L., and R. N. Nishimoto. Growth and Cohort Dynamics of Larval Pacific Hake (*Merluccius productus*). 38:63–68
- Carr, M. H., and P. T. Raimondi. Marine Protected Areas as a Precautionary Approach to Management. 40:71–76
- Cass-Calay, S. L. Relation of Mean Growth Rate to Concentration of Prey-Sized Particles for Larvae of Pacific Hake (*Merluccius productus*). 38:69–76
- Cisneros-Mata, M. A., G. Montemayor-López, and M. O. Nevárez-Martínez. Modeling Deterministic Effects of Age Structure, Density Dependence, Environmental Forcing, and Fishing on the Population Dynamics of *Sardinops sagax caeruleus* in the Gulf of California. 37:201–208
- Cisneros-Mata, M. A., M. O. Nevárez-Martínez, and M. G. Hammann. The Rise and Fall of the Pacific Sardine, *Sardinops sagax caeruleus* Girard, in the Gulf of California, Mexico. 36:136–143
- Collins, C. A., R. G. Paquette, and S. R. Ramp. Annual Variability of Ocean Currents at 350-m Depth over the Continental Slope off Point Sur, California. 37:257–263
- Cotero-Altamirano, C. E., and Y. Green-Ruiz. Spawning Biomass of the Northern Anchovy (*Engraulis mordax*) in the Gulf of California during 1991. 38:171–179
- de Anda-Montañez, A., F. Arreguin-Sánchez, and S. Martínez-Aguilar. Length-Based Growth Estimates for Pacific Sardine (*Sardinops sagax*) in the Gulf of California, Mexico. 40:179–183
- de Anda-Montañez, A., and J. C. Seijo. Bioeconomics of the Pacific Sardine (*Sardinops sagax*) Fishery in the Gulf of California, Mexico. 40:170–178
- Deriso, R. B., J. T. Barnes, L. D. Jacobson, and P. R. Arenas. Catch-at-Age Analysis for Pacific Sardine (*Sardinops sagax*), 1983–1995. 37:175–187
- Dizon, A. E., C. A. LeDuc, and R. G. LeDuc. Intraspecific Structure of the Northern Right Whale Dolphin (*Lissodelphis borealis*): The Power of an Analysis of Molecular Variation for Differentiating Genetic Stocks. 35:61–67
- Domeier, M. L., and C. S. Y. Chun. A Tagging Study of the California Halibut (*Paralichthys californicus*). 36:204–207
- Dorn, M. W. Mesoscale Fishing Patterns of Factory Trawlers in the Pacific Hake (*Merluccius productus*) Fishery. 38:77–89  
—. The Effects of Age Composition and Oceanographic Conditions on the Annual Migration of Pacific Whiting, *Merluccius productus*. 36:97–105
- Dotson, R. C., and D. A. Griffith. A High-Speed Midwater Rope Trawl for Collecting Coastal Pelagic Fishes. 37:134–139

- Félix-Uraga, R., R. M. Alvarado-Castillo, and R. Carmona-Piña. The Sardine Fishery along the Western Coast of Baja California, 1981 to 1994. 37:188-192
- García-Franco, W., R. Vidal-Talamantes, A. Cota-Villavicencio, J. Ramon-Corrales, and I. Prieto-Montalvo. Variation in Fat Content of Northern Anchovy (*Engraulis mordax*) in Relation to the Baja California Environment. 40:165-169
- Geller, J. B. Marine Biological Invasions as Models of Dispersal: Tracking Secondary Spread and Introgressive Gene Flow. 35:68-72
- Hammann, M. G., M. O. Nevárez-Martínez, and Y. Green-Ruiz. Spawning Habitat of the Pacific Sardine (*Sardinops sagax*) in the Gulf of California: Egg and Larval Distribution 1956-1957 and 1971-1991. 39:169-179
- Hammann, M. G., J. S. Palleiro-Nayar, and O. Sosa-Nishizaki. The Effects of the 1992 El Niño on the Fisheries of Baja California, Mexico. 36:127-133
- Hanan, D. Introduction to the Symposium of the CalCOFI Conference. Market Squid: What We Know and What We Need to Know for Effective Management. 39:53-54
- Hanlon, R. T. Mating Systems and Sexual Selection in the Squid *Loligo*: How Might Commercial Fishing on Spawning Squids Affect Them? 39:92-100
- Hatfield, E., and S. des Clers. Fisheries Management and Research for *Loligo gahi* in the Falkland Islands. 39:81-91
- Hayward, T. L. Long-Term Change in the North Pacific Ocean: A Consideration of Some Important Issues. 37:41-44
- Hayward, T. L., T. R. Baumgartner, D. M. Checkley, R. Durazo, G. Gaxiola-Castro, K. D. Hyrenbach, A. W. Mantyla, M. M. Mullin, T. Murphree, F. B. Schwing, P. E. Smith, and M. J. Tegner. The State of the California Current in 1998-1999: Transition to Cool-Water Conditions. 40:29-62
- Hayward, T. L., D. R. Cayan, P. J. S. Franks, R. J. Lynn, A. W. Mantyla, J. A. McGowan, P. E. Smith, F. B. Schwing, and E. L. Venrick. The State of the California Current in 1994-1995: A Period of Transition. 36:19-39
- Hayward, T. L., S. L. Cummings, D. R. Cayan, F. P. Chavez, R. J. Lynn, A. W. Mantyla, P. P. Niiler, F. B. Schwing, R. R. Veit, and E. L. Venrick. The State of the California Current in 1995-1996: Continuing Declines in Macrozooplankton Biomass during a Period of Nearly Normal Circulation. 37:22-37
- Hayward, T. L., A. W. Mantyla, R. J. Lynn, P. E. Smith, and T. K. Chereskin. The State of the California Current in 1993-1994. 35:19-35
- Hedgcock, D. Temporal and Spatial Genetic Structure of Marine Animal Populations in the California Current. 35:73-81
- Hedgcock, D., E. S. Hutchinson, G. Li, F. L. Sly, and K. Nelson. The Central Stock of Northern Anchovy (*Engraulis mordax*) Is Not a Randomly Mating Population. 35:121-136
- Hernández-Herrera, A., E. Morales-Bojórquez, M. A. Cisneros-Mata, M. O. Nevárez-Martínez, and G. I. Rivera-Parra. Management Strategy for the Giant Squid (*Dosidicus gigas*) Fishery in the Gulf of California, Mexico. 39:212-218
- Hernández-Trujillo, S. Key Species in the Pelagic Copepod Community Structure on the West Coast of Baja California, Mexico. 40:154-164
- Hernández-Vázquez, S. Distribution of Eggs and Larvae from Sardine and Anchovy off California and Baja California, 1951-1989. 35:94-107
- Horne, J. K., and P. E. Smith. Space and Time Scales in Pacific Hake Recruitment Processes: Latitudinal Variation over Annual Cycles. 38:90-102
- Hunter, J. R., and A. B. Hollowed. Introduction to the Symposium of the CalCOFI Conference. The 1996 Hake Symposium. 38:51-52
- Jackson, G. D. Research into the Life History of *Loligo opalescens*: Where to from Here? 39:101-107
- Jacobson, L. D., E. S. Konno, and J. P. Perttierra. Status of Pacific Mackerel and Trends in Biomass, 1978-1993. 35:36-39
- Lange, C. B., A. L. Weinheimer, F. M. H. Reid, and R. C. Thunell. Sedimentation Patterns of Diatoms, Radiolarians, and Silicoflagellates in Santa Barbara Basin, California. 38:161-170
- Larkman, V. E., and R. R. Veit. Seasonality and Abundance of Blue Whales off Southern California. 39:236-239
- Larson, R. J., and R. M. Julian. Spatial and Temporal Genetic Patchiness in Marine Populations and Their Implications for Fisheries Management. 40:94-99
- Larson, R. J., W. H. Lenarz, and S. Ralston. The Distribution of Pelagic Juvenile Rockfish of the Genus *Sebastodes* in the Upwelling Region off Central California. 35:175-221
- Lenarz, W. H., D. A. VenTresca, W. M. Graham, F. B. Schwing, and F. Chavez. Explorations of El Niño Events and Associated Biological Population Dynamics off Central California. 36:106-119
- Leos, R. R. The Biological Characteristics of the Monterey Bay Squid Catch and the Effect of a Two-Day-per-Week Fishing Closure. 39:204-211
- Lluch-Cota, S. E., D. B. Lluch-Cota, D. Lluch-Belda, M. O. Nevárez-Martínez, A. Parés-Sierra, and S. Hernández-Vázquez. Variability of Sardine Catch as Related to Enrichment, Concentration, and Retention Processes in the Central Gulf of California. 40:184-190
- Lo, N. C. H. Level of Significance and Power of Two Commonly Used Procedures for Comparing Mean Values Based on Confidence Intervals. 35:246-253
- Lo, N. C. H., Y. A. Green-Ruiz, M. J. Cervantes, H. G. Moser, and R. J. Lynn. Egg Production and Spawning Biomass of Pacific Sardine (*Sardinops sagax*) in 1994, Determined by the Daily Egg Production Method. 37:160-174
- Lo, N. C. H., D. Griffith, and J. R. Hunter. Using a Restricted Adaptive Cluster Sampling to Estimate Pacific Hake Larval Abundance. 38:103-113
- Love, M. S., J. E. Caselle, and W. Van Buskirk. A Severe Decline in the Commercial Passenger Fishing Vessel Rockfish (*Sebastodes* spp.) Catch in the Southern California Bight, 1980-1996. 39:180-195
- Lowry, M. S., and J. V. Carretta. Market Squid (*Loligo opalescens*) in the Diet of California Sea Lions (*Zalophus californianus*) in Southern California (1981-1995). 40:196-207
- Lynn, R. J., T. Baumgartner, J. Garcia, C. A. Collins, T. L. Hayward, K. D. Hyrenbach, A. W. Mantyla, T. Murphree, A. Shankle, F. B. Schwing, K. M. Sakuma, and M. J. Tegner. The State of the California Current, 1997-1998: Transition to El Niño Conditions. 39:25-49
- Lynn, R. J., F. B. Schwing, and T. L. Hayward. The Effect of the 1991-1993 ENSO on the California Current System. 36:57-71
- Lyons, M. L. G., P. E. Smith, and H. G. Moser. Comparison of Cross-Shelf Trends in Acoustic Doppler Current Profiler Amplitude and Zooplankton Displacement Volume in Southern California. 35:240-245
- MacCall, A. D. Patterns of Low-Frequency Variability in Fish Populations of the California Current. 37:100-110
- Macewicz, B. J., J. J. Castro-González, C. E. Cotero-Altamirano, and J. R. Hunter. Adult Reproductive Parameters of Pacific Sardine (*Sardinops sagax*) during 1994. 37:140-151
- Macewicz, B. J., and J. R. Hunter. Fecundity of Sablefish, *Anoplopoma fimbria*, from Oregon Coastal Waters. 35:160-174
- Mantyla, A. W., E. L. Venrick, and T. L. Hayward. Primary Production and Chlorophyll Relationships, Derived from Ten Years of CalCOFI Measurements. 36:159-166
- McFarlane, G. A., and M. W. Saunders. Fecundity of Pacific Hake (*Merluccius productus*) for Three Stocks off the West Coast of North America. 38:114-119

- McGowan, J. A., D. B. Chelton, and A. Conversi. Plankton Patterns, Climate, and Change in the California Current. 37:45-68
- Millán-Núñez, E., J. R. Lara-Lara, and J. S. Cleveland. Variations in Specific Absorption Coefficients and Total Phytoplankton in the Gulf of California. 39:159-168
- Millán-Núñez, R., S. Alvarez-Borrego, and C. C. Trees. Relationship between Deep Chlorophyll Maximum and Surface Chlorophyll Concentration in the California Current System. 37:241-250
- Miller, A. J. Recent Advances in California Current Modeling: Decadal and Interannual Thermocline Variations. 37:69-79
- Mitchell, B. G., and M. Kahru. Algorithms for SeaWiFS Standard Products Developed with the CalCOFI Bio-Optical Data Set. 39:133-147
- Molina, R. E., F. A. Manrique, and H. E. Velasco. Filtering Apparatus and Feeding of the Pacific Mackerel (*Scomber japonicus*) in the Gulf of California. 37:251-256
- Morales-Bojórquez, E., and J. López-Martínez. Brown Shrimp Fishery in the Gulf of California. 40:28
- Moser, H. G., R. L. Charter, P. E. Smith, N. C. H. Lo, D. A. Ambrose, C. A. Meyer, E. M. Sandknop, and W. Watson. Early Life History of Sablefish, *Anoplopoma fimbria*, off Washington, Oregon, and California, with Application to Biomass Estimation. 35:144-159
- Moser, H. G., N. C. H. Lo, and P. E. Smith. Vertical Distribution of Pacific Hake Eggs in Relation to Stage of Development and Temperature. 38:120-126
- Mullin, M. M. Biomasses of Large-Celled Phytoplankton and Their Relation to the Nitricline and Grazing in the California Current System off Southern California, 1994-1996. 39:117-123
- . The Californian El Niño of 1992 and the Fall of *Calanus*. 36:175-178
- Mullin, M. M., and S. L. Cass-Calay. Vertical Distributions of Zooplankton and Larvae of the Pacific Hake (Whiting), *Merluccius productus*, in the California Current System. 38:127-136
- Murphree, T., and C. Reynolds. El Niño and La Niña Effects on the Northeast Pacific: The 1991-1993 and 1988-1989 Events. 36:45-56
- Murray, S. N., T. G. Denis, J. S. Kido, and J. R. Smith. Human Visitation and the Frequency and Potential Effects of Collecting on Rocky Intertidal Populations in Southern California Marine Reserves. 40:100-106
- Murua, H., L. Motos, and P. Lucio. Reproductive Modality and Batch Fecundity of the European Hake (*Merluccius merluccius* L.) in the Bay of Biscay. 39:196-203
- Neigel, J. E. Analysis of Rapidly Evolving Molecules and DNA Sequence Variants: Alternative Approaches for Detecting Genetic Structure in Marine Populations. 35:82-89
- Nelson, K., E. S. Hutchinson, G. Li, F. L. Sly, and D. Hedgecock. Variation in Life History and Morphology in Northern Anchovies (*Engraulis mordax*). 35:108-120
- Nielsen, J. L., C. Gan, J. M. Wright, and W. K. Thomas. Phylogeographic Patterns in California Steelhead as Determined by mtDNA and Microsatellite Analyses. 35:90-92
- Norton, J. G., and S. J. Crooke. Occasional Availability of Dolphin, *Coryphaena hippurus*, to Southern California Commercial Passenger Fishing Vessel Anglers: Observations and Hypotheses. 35:230-239
- O'Brien, J. W., and J. S. Sunada. A Review of the Southern California Experimental Drift Longline Fishery for Sharks, 1988-1991. 35:222-229
- Ohman, M. D., and P. E. Smith. A Comparison of Zooplankton Sampling Methods in the CalCOFI Time Series. 36:153-158
- Parrish, R. Marine Reserves for Fisheries Management: Why Not. 40:77-86
- Pomeroy, C. Social Considerations for Marine Resource Management: Evidence from Big Creek Ecological Reserve. 40:118-125
- Pomeroy, C., and M. Fitzsimmons. Information Needs for Effective Management of the California Market Squid Fishery: The Role of Social Science Research. 39:108-114
- Rosales-Casián, J. A. Inshore Soft-Bottom Fishes of Two Coastal Lagoons on the Northern Pacific Coast of Baja California. 38:180-192
- Sakuma, K. M., and S. Ralston. Distributional Patterns of Late Larval Groundfish off Central California in Relation to Hydrographic Features during 1992 and 1993. 36:179-192
- . Vertical and Horizontal Distribution of Juvenile Pacific Whiting (*Merluccius productus*) in Relation to Hydrography off California. 38:137-146
- Saunders, M. W., and G. A. McFarlane. Observations on the Spawning Distribution and Biology of Offshore Pacific Hake (*Merluccius productus*). 38:147-157
- Schwing, F. B., T. L. Hayward, K. M. Sakuma, T. Murphree, A. S. Mascarenas Jr., S. I. Larios-Castillo, A. W. Mantyla, S. L. Cummings, F. P. Chavez, K. Baltz, and D. G. Ainley. The State of the California Current, 1996-1997: Mixed Signals from the Tropics. 38:22-47
- Schwing, F., and S. Ralston. Introduction to the Symposium of the CalCOFI Conference. The 1991-92 El Niño and Its Impact on Fisheries. 36:43
- Smith, P. E. A Warm Decade in the Southern California Bight. 36:120-126
- . Development of the Population Biology of the Pacific Hake, *Merluccius productus*. 36:144-152
- Stull, J. K., and C.-L. Tang. Demersal Fish Trawls off Palos Verdes, Southern California, 1973-1993. 37:211-240
- Tegner, M. J., P. K. Dayton, P. B. Edwards, and K. L. Riser. Is There Evidence for Long-Term Climatic Change in Southern California Kelp Forests? 37:111-126
- Thomson, C. J. Economic and Management Implications of No-Take Reserves: An Application to *Sebastodes* Rockfish in California. 40:107-117
- Valdez-Holguín, J. E., S. Alvarez-Borrego, and B. G. Mitchell. Photosynthetic Parameters of Phytoplankton in the California Current System. 39:148-158
- Velarde, E., M. de la Soledad-Tordesillas, L. Vieyra, and R. Esquivel. Seabirds as Indicators of Important Fish Populations in the Gulf of California. 35:137-143
- Venrick, E. L. The Phytoplankton of the Santa Barbara Basin: Patterns of Chlorophyll and Species Structure and Their Relationships with Those of Surrounding Stations. 39:124-132
- VenTresca, D. A., R. H. Parrish, J. L. Houk, M. L. Gingras, S. D. Short, and N. L. Crane. El Niño Effects on the Somatic and Reproductive Condition of Blue Rockfish, *Sebastodes mystinus*. 36:167-174
- Vetter, R. D. Introduction to the Symposium of the CalCOFI Conference. Genetics of the Fauna of the California Current. 35:43-44
- Vojkovich, M. The California Fishery for Market Squid (*Loligo opalescens*). 39:55-60
- Watson, W. Early Stages of the Bloody Frogfish, *Antennarius sanguineus* Gill 1863, and the Bandtail Frogfish, *Antennarius striatus* (Gill 1863) (Pisces: Antennariidae). 39:219-235
- Watson, W., R. L. Charter, H. G. Moser, R. D. Vetter, D. A. Ambrose, S. R. Charter, L. L. Robertson, E. M. Sankinop, E. A. Lynn, and J. Stannard. Fine-Scale Distributions of Planktonic Fish Eggs in the Vicinities of Big Sycamore Canyon and Vandenberg Ecological Reserves, and Anacapa and San Miguel Islands, California. 40:128-153
- Yoklavich, M. Introduction to the Symposium of the CalCOFI Conference. A Continuing Dialog on No-Take Reserves for Resource Management. 40:65-66

## SUBJECT INDEX

- Abalone, *Halichoeres* spp., fishery  
1993, 35:14  
1995, 37:14  
1996, 38:15  
1997, 39:18–19  
1998, 40:18–19
- Acoustic Doppler current profiler, and zooplankton displacement volume, 35:240–245
- Albacore. *See* Tuna; Recreational fishery
- Anchovy, northern, *Engraulis mordax*  
eggs and larvae, 1951–1989, 35:94–107; 36:122–126  
fat content related to environment, 40:165–169  
genetic structure of central stock, 35:121–136  
in Gulf of California, 38:171–179  
life history and morphology, 35:108–120  
spawning range, 35:94–107; 40:55
- Atmospheric conditions  
North Pacific, 36:19–39; 37:22–44; 38:22–47; 39:25–49; 40:29–62  
and ocean teleconnections, 36:78–84
- Baja California  
and anchovy, 40:165–169  
copepod species, 40:154–164  
fishes of coastal lagoons, 38:180–192  
sardine fishery, 36:136–142; 37:188–192; 40:170–190  
west coast fisheries, 36:127–133  
*See also* California Current, status of
- Biomass estimates, pelagic fishes, 37:100–110
- Birds. *See* Seabirds
- Brown shrimp fishery, 40:28
- Calanus pacificus*. *See* Copepods
- California Current  
anchovy spawning in, 1951–1989; 35:94–107  
bird communities of, 36:72–77  
central California, 36:106–119  
larval groundfish, 36:179–192  
upwelling region, 35:175–221  
chlorophyll, deep maximum vs. surface, 37:241–250  
cool water conditions, 40:29–62  
ENSO effects on, 1991–1993, 36:57–71  
genetics of fauna—a symposium, 35:43–92  
interdecadal changes in ecology—a symposium, 37:39–126  
modeling of, 37:69–79  
phytoplankton, photosynthetic parameters of, 39:148–158  
plankton patterns and climate, 37:45–68  
sablefish biomass estimate, 35:144–159  
sardine spawning in, 1951–1989, 35:94–107  
status of  
1993–1994, 35:19–35  
1994–1995, 36:19–39  
1995–1996, 37:22–37  
1996–1997, 38:22–47  
1997–1998, 39:25–49  
1998–1999, 40:29–62  
thermocline variations in, 37:69–79  
zooplankton biomass, 37:80–99
- CANSAR; catch-at-age analysis for sardines, 37:175–187
- Chlorophyll  
deep maximum vs. surface concentration, 37:241–250  
and primary production, 36:159–166  
remote sensing of, 39:133–147  
in Santa Barbara Basin, 39:124–132  
*See also* California Current, status of; Phytoplankton
- Climate change  
and kelp forests, 37:111–126  
and plankton patterns, 37:45–68
- Confidence intervals and comparison of means, 35:246–253
- Continuous underway fish egg sampler. *See* CUFES
- Copepods  
and 1992 El Niño, 36:175–178  
*Calanus pacificus* genetics, 35:45–51  
pelagic, off Baja California west coast, 40:154–164  
*Tigriopus californicus* genetics, 35:52–60
- Crab, Dungeness, *Cancer magister*, fishery  
1993, 35:12  
1994, 36:13  
1995, 37:14  
1996, 38:16  
1997, 39:19  
1998, 40:19
- CUFES: continuous underway fish egg sampler, 37:5; 39:44; 40:128–153
- Currents  
at 350 m, Point Sur, Calif., 37:257–263  
and acoustic Doppler profiler, 35:240–245  
*See also* California Current
- Demersal fish trawls, Palos Verdes, 1973–1993, 37:211–240
- Diatoms, Santa Barbara Basin, 38:161–170
- Dispersal models of species, 35:70–72
- DNA  
*Calanus pacificus*, 35:45–51  
California steelhead, 35:90–92  
detecting in marine populations, 35:52–60, 82–89  
of northern right whale dolphin, 35:61–67  
of thornyhead, 35:6  
of *Tigriopus californicus*, 35:52–60
- Dolphin, *Coryphaena hippurus*, 35:230–239
- Drift longline shark fishery, 35:222–229
- Eggs  
anchovy, 35:94–107; 40:55  
planktonic shorefish, distribution of, 40:6, 128–153  
sablefish, 35:144–174  
sardine, 35:94–107; 39:44–45, 40:55
- Elegant tern, and fish populations in Gulf of California, 35:137–143
- El Niño  
1988–1989, 36:45–56  
1991–1993, 35:19–35; 36:43–133  
1997–1998, 39:25–49; 40:29–62  
and biological population dynamics, 36:106–119  
and blue rockfish, 36:167–174  
and *Calamus*, 36:175–178  
and fisheries, Baja California, 36:127–133  
and groundfish larval distribution, 36:179–192  
impact on fisheries—a symposium, 36:43–133  
and Monterey Bay zooplankton biomass, 38:193–198  
in Northeastern Pacific, 36:45–56  
and population dynamics, 36:106–119  
transition to, 39:25–49  
*See also* California Current
- ENSO: El Niño–Southern Oscillation  
effect on California Current (1991–1993), 36:57–71  
in northern Gulf of Alaska, 36:78–96  
and thermocline variations, 37:69–79  
*See also* California Current; El Niño; La Niña
- Factory trawlers, fishing patterns of, 38:77–89
- Finfishes, nearshore, 1998, 40:16–18  
*See also* Live-fish fishery

- Fish  
of coastal lagoons, Baja California, 38:180–192  
demersal, off Palos Verdes (by species), 37:211–240  
eggs, planktonic shorefish, distribution, 40:128–153  
larvae, and climate change, 37:45–68  
pelagic (coastal), sampling, 37:134–139  
populations  
    low-frequency variability, 37:100–110  
    seabirds as indicators of, 35:137–143  
*See also individual names*
- Fisheries  
Baja California, 36:127–133; 37:188–192  
Gulf of Alaska, 36:84–96  
management. *See Management, marine*  
*See also Fisheries review; Squid; individual fishes*
- Fisheries review  
for 1993, 35:7–18  
for 1994, 36:7–18  
for 1995, 37:7–21  
for 1996, 38:7–21  
for 1997, 39:9–24  
for 1998, 40:9–24
- Frogfish  
    Bandtail (*Antennatus striatus*), early stages, 39:219–220, 231–235  
    Bloody (*Antennarius sanguineus*), early stages, 39:219–235
- Gene flow, 35:68–72
- Genetic introgression, 35:70–72
- Genetics  
anchovy, 35:121–136  
*Calanus pacificus*, 35:45–51  
of fauna of the California Current—a symposium, 35:43–92  
and fisheries management, 40:94–99  
right whale dolphin, 35:61–67  
rockfish, 40:6–7  
steelhead trout, 35:90–92  
structure of marine populations, 35:52–60, 73–89  
thornyhead, 35:6
- Groundfish  
fishery review  
    1993, 35:11–12  
    1994, 36:11–13  
    1995, 37:11–14  
    1996, 38:12–13  
    1997, 39:14–16  
    1998, 40:14–15  
    larvae, central California, 36:179–192
- Gulf of Alaska  
ENSO effects in, 36:78–96  
seabirds, 36:90–91  
zooplankton biomass, 37:80–99
- Gulf of California  
anchovy spawning biomass, 38:171–179  
fisheries, 36:127–133, 136–143  
Pacific mackerel, feeding, 37:251–256  
phytoplankton in, specific absorption coefficients of, 39:159–168  
sardine in, 36:136–143; 37:201–208; 39:169–179  
seabirds as indicators of fish populations, 35:137–143  
squid fishery, 39:212–218  
zooplankton biomass, 37:80–99
- Gull, Heermann's, and fish populations in Gulf of California, 35:137–143  
*See also Seabirds*
- Hake  
European, *Merluccius merluccius*, reproduction, 39:196–203  
Pacific, *Merluccius productus*  
    biology, 36:144–152; 38:147–157
- diet, 38:53–62  
distribution  
    larval, 38:127–136  
    related to hydrography, 38:137–146  
    spawning, 38:147–157  
egg development, 38:120–126  
fecundity, 38:114–119  
fishing patterns, mesoscale, 38:77–89  
growth, 38:63–76  
larval abundance, 37:5–6; 38:103–113  
migration, 36:97–105; 38:90–102  
population models, 36:144–152  
recruitment variations, 38:90–102  
spawning, 38:90–102, 147–157; 40:55  
symposium on, 38:51–157  
zooplankton related to larvae, 38:127–136
- Halibut, California, *Paralichthys californicus*  
fishery review  
    1993, 35:13–14  
    1994, 36:15  
    1995, 37:17–18  
    tagging of, 36:204–207
- Herring, Pacific, *Clupea pallasi*, fishery  
    1993, 35:9–11  
    1994, 36:9–11  
    1995, 37:10  
    1996, 38:10–11  
    1997, 39:12–13  
    1998, 40:12–13
- IMECOCAL: Investigaciones Mexicanas de la Corriente de California, 39:5, 41–43; 40:7, 47–54
- Interannual variations  
    in thermocline, 37:69–79  
    in zooplankton biomass, 37: 80–99
- Kelp, 37:111–126; 39:46–48; 40:58–59
- La Niña  
    1996–1997, 38:22–47  
    effects on Northeastern Pacific Ocean, 36:45–56  
    transition from El Niño, 40:29–62
- Larval groundfish, and hydrography, 36:179–192
- Live-fish fishery  
    1993, 35:17  
    1994, 36:16–17  
    1995, 37:18–19  
    1996, 38:14  
    1997, 39:17–18  
*See also Finfishes, nearshore*
- Lobster, California spiny, *Panulirus interruptus*, fishery  
    1993, 35:16  
    1996, 38:16–17
- Mackerel, Pacific, *Scomber japonicus*, 37:6  
filtering apparatus and feeding, 37:251–256  
fishery review  
    1993, 35:8–9  
    1994, 36:8–9  
    1995, 37:9–10  
    1996, 38:9–10  
    1997, 39:11–12  
    1998, 40:11–12  
status and biomass trends, 1978–1993, 35:36–39
- Macrozooplankton biomass, 37:22–37; 39:43; 40:54–57
- Management, marine—symposium on, 40:65–125  
    economic considerations, 40:107–125  
    genetic patchiness and, 40:94–99  
*See also Marine reserves*

- Marine reserves, 40:71-76  
Big Creek, 40:118-125  
Big Sycamore Canyon, 40:128-153  
classification of, 40:67-70  
and fisheries, 40:77-93, 107-125  
human effects on, 40:100-106  
symposium on, 40:65-117  
Vandenberg, 40:128-153
- Midwater trawl, high speed, 37:134-139
- Monterey Bay  
primary productivity, 37:22-37  
squid fishery, 39:204-211  
zooplankton biomass, 38:193-198
- Northeastern Pacific, El Niño and La Niña, 36:45-56
- North Pacific Ocean  
long-term changes, 37:41-44  
and thermocline variations, 37:69-79  
*See also* California Current
- Northern right whale dolphin, *Lissodelphis borealis*, 35:61-67
- Oregon  
sablefish  
biomass estimate, 35:144-159  
fecundity, 35:160-174  
sardine egg production, 1994, 37:193-200
- Palos Verdes, fish trawls, 1973-1993, 37:211-240
- Pelagic fishes  
biomass estimates, 37:100-110  
high-speed midwater rope trawl for, 37:134-139  
lidar assessment of, 37:5
- Physical oceanography, 35:19-35; 36:19-39; 37:22-37, 45-79, 38:22-47, 39:25-49, 40:29-62  
1991-1993 ENSO event, 36:57-71, 78-84  
Baja California west coast, 38:22-47, 40:29-62  
off central California, 36:106-119, 179-192  
El Niño and La Niña, 36:45-56  
related to larval groundfish, 36:179-192  
Southern California Bight, 35:230-239, 36:120-126
- Phytoplankton  
biomass, 39:117-123  
chlorophyll and species structure, 39:124-132  
photosynthetic parameters of, 39:148-158  
relation to nitrcline and grazing, 39:117-123  
in Santa Barbara Basin, 39:124-132  
specific absorption coefficients, Gulf of California, 39:159-168  
*See also* California Current, status of
- Plankton patterns, and climate change, 37:45-68
- Point Sur, Calif., current at 350 m, 37:257-263
- Population dynamics, and El Niño, 36:106-119
- Prawn, ridgeback, *Sicyonia ingentis*, fishery  
1994, 36:13  
1996, 38:17  
1997, 39:19  
1998, 40:19
- Prawn, spot, *Pandalus platyceros*, fishery  
1994, 36:13-14  
1995, 37:14-15  
1996, 38:17  
1997, 39:19-20  
1998, 40:19-20
- Primary production, 36:110-119, 159-166  
*See also* California Current, status of
- Radiolarians, in Santa Barbara Basin, 38:161-170
- Recreational fishery  
1993, 35:17-18  
1994, 36:17-18
- 1995, 37:19-21  
1996, 38:19-21  
1997, 39:22-24  
1998, 40:22-24  
rockfish catch, 1980-1996, 39:180-195  
Red tide, 36:27-31; 37:28-29; 39:43-44
- Reserves, marine. *See* Management; Marine reserves
- Right whale dolphin, 35:61-67
- Rockfish, 35:6; 40:6-7  
abundance, 38:43, 45-46; 39:45; 40:58  
and El Niño events, 36:106-119  
blue, 36:167-174  
decline in sportfish catch, 1980-1996, 39:180-195  
distribution off central California, 35:175-221; 38:43; 39:45-46  
management, 40:6-7, 81-86, 107-117  
*See also* Finfishes, nearshore; Groundfish; Live-fish fishery; Recreational fishery
- Sablefish, *Anoplopoma fimbria*  
early life history, 35:144-159  
fecundity, off Oregon, 35:160-174  
*See also* Groundfish
- Salmon, ocean, *Oncorhynchus* spp., fishery  
1993, 35:16-17  
1994, 36:15-16  
1995, 37:18  
1996, 38:17-18  
1997, 39:20-21  
1998, 40:20-21  
*See also* Recreational fishery
- Sand Bass, spotted, life history, 36:193-203  
*See also* Recreational fishery
- Santa Barbara Basin  
phytoplankton, 39:124-132  
sedimentation patterns in, 38:161-170
- Sardine, Pacific, *Sardinops sagax*, 37:6; 40:5  
age, growth, and maturation, 1994, 37:152-159  
catch-at-age analysis, 1983-1995, 37:175-187  
eggs, 39:44; 40:55  
eggs and larvae, 1951-1989, 35:94-107; 36:122-126  
fishery, Baja California west coast, 37:188-192  
fishery review  
1993, 35:7-8  
1994, 36:7-8  
1995, 37:7-9  
1996, 38:7-9  
1997, 39:9-11  
1998, 40:9-11  
as food for seabirds, 35:137-143  
in Gulf of California, 36:136-143; 37:201-208; 39:169-179; 40:170-190  
spawning, 35:5; 37:140-151, 193-200; 40:55, 169-179  
biomass survey 1994, 37:129-133, 160-174  
range, 35:94-107  
symposium on, 37:129-208
- Seabass, white, *Atractoscion nobilis*, fishery  
1996, 38:18  
1997, 39:21-22  
1998, 40:21-22
- Seabirds, 37:29; 38:43; 39:46, 48; 40:57-58  
and ENSO, in Gulf of Alaska, 36:90-96  
as indicators of fish populations, 35:137-143  
variations in marine communities, 36:72-77
- Sea cucumber, *Parastichopus* spp., fishery  
1993, 35:15-16  
1995, 37:15-16  
1996, 38:15-16

- Sea urchin, *Strongylocentrotus* spp., fishery  
1993, 35:14–15  
1994, 36:14  
1995, 37:16  
1996, 38:11–12  
1997, 39:9–14  
1998, 40:14  
management, 40:87–93  
SeaWiFS algorithms, CalCOFI bio-optical data set, 39:133–147  
*Sebastes*. See Rockfish  
Sedimentation patterns in Santa Barbara Basin, 38:161–170  
Shark  
drift longline fishery, 1988–1991, 35:222–229  
fishery review  
1993, 35:13  
1994, 36:15  
1995, 37:17  
1996, 38:14  
1997, 39:17  
1998, 40:16  
Shrimp, brown, fishery, 40:28  
Silicoflagellates, in Santa Barbara Basin, 38:161–170  
Southern California Bight  
biomass estimates of pelagic fishes, 37:100–110  
currents, 35:240–245  
decline in *Sebastes* catch, 1980–1996, 39:180–195  
dolphin, and sportfishing, 35:230–239  
kelp forest changes with climate, 37:111–126  
Palos Verdes demersal fish trawls, 37:211–240  
physical oceanography, 35:19–35, 232–236; 36:19–39; 37:22–37;  
38:22–47; 39:25–49; 40:29–62  
and sand bass, spotted, 36:193–203  
shark fishery (1988–1991), 35:222–229  
warm decade in, 36:120–126  
and whales, blue, 39:236–239  
zooplankton, 35:240–245  
Sportfishing  
decline of rockfish catch, by species, 1980–96, 39:180–195  
dolphin, 35:230–239  
tuna, 37:102–110  
See also Recreational fishery  
Squid  
California market. See *Loligo opalescens*, below  
chokka. See *Loligo vulgaris*, below  
*Dosidicus gigas* (Gulf of California) fishery, 39:212–218  
*Illex argentinus* (South Atlantic, oceanic), 39:81  
*Loligo gahi* (Falkland Islands) fishery, 39:81–91  
*Loligo opalescens* (California market)  
age and growth, 39:101–107, 40:191–195  
in diet of sea lions, 1981–1995, 40:196–207  
fishery, 39:55–60, 108–114, 204–211  
fishery review  
1995, 37:10–11  
1996, 38:11  
1997, 39:13–14  
1998, 40:13–14  
life history, 39:55–60, 101–107  
mating systems, 39:92–100  
Monterey Bay fishery, 39:204–211  
*Loligo pealei* (North Atlantic), 39:61–70  
*Loligo vulgaris* (South Africa), 39:71–80  
long-finned. See *Loligo pealei*, above  
Patagonian. See *Loligo gahi*, above  
short-finned. See *Illex argentinus*, above  
symposium on, 39:53–114  
Steelhead trout, 35:90–92  
Swordfish fishery  
1993, 35:13  
1994, 36:14–15  
1995, 37:17  
1996, 38:13–14  
1997, 39:16–17  
1998, 40:15–16  
Tagging, of California halibut, 36:204–207  
Teleconnection  
atmospheric and oceanic, 36:78–96  
mechanisms, 36:45–56  
Thermocline variations, decadal and interannual, 37:69–79  
Thornyhead, *Sebastolobus* sp., 35:6  
*Trigriopus californicus*, 35:52–60  
Tuna, population variability, 37:102–110  
See also Recreational fishery  
Upwelling  
and rockfish distribution, 35:175–221  
See also California Current  
Washington sablefish biomass, 35:144–159  
Whale dolphin, northern right, 35:61–67  
Whales, blue, *Balaenoptera musculus*, 39:236–239  
Whiting. See Hake, Pacific  
Zooplankton  
and acoustic Doppler current profiler, 35:240–245  
interannual biomass variations  
in California Current, 37:45–68, 80–99  
in Gulf of Alaska, 37:80–99  
macrozooplankton, 36:19–39, 37:22–37  
mesozooplankton, 40:29–62  
in Monterey Bay, 38:193–198  
sampling methods, 36:153–158